Form 3160-3 (August 1999)

001

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

5. Lease Ser

Lease Serial No. UTU-43915

6. If Indian, Allottee or Tribe Name

AΡ	PL	.ICA	NOIT	I FOR	PERMIT	TO DRIL	L OR	REENTER	₹
----	----	------	-------------	-------	--------	---------	------	---------	---

1a. Type of Work: ☑ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name	and No.
lb. Type of Well: ☐ Oil Well ☑ Gas Well ☐ Oth	er Single Zone Multiple Zone	8. Lease Name and Well No. OU SG 12W-10-8-22	
	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	9. API Well No. 43-047-34749	
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory WHITE RIVER	
Location of Well (Report location clearly and in accordance NWSW 1698FSL 882FWL At proposed prod. zone	nce with any State requirements.*) 4443707 Y 40.13498 G33G13 K - 109.43149	11. Sec., T., R., M., or Blk. and Sur Sec 10 T8S R22E Mer SL	•
14. Distance in miles and direction from nearest town or post of 10 +/- MILES SOUTHWEST OF REDWASH, UT		12. County or Parish UINTAH	13. State UT
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 882' +/-	16. No. of Acres in Lease 227.60	17. Spacing Unit dedicated to this v	well
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 1000' +/- 	19. Proposed Depth 7800 MD 7800 TVD	20. BLM/BIA Bond No. on file UT-1237	
21. Elevations (Show whether DF, KB, RT, GL, etc. 4954 KB	22. Approximate date work will start	23. Estimated duration 10 DAYS	. <u>-</u>

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification
 - Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature	None (Printed/Typed) HN BUSCH	DECEIVED	Date 10/28/2002
Title OPERATIONS	ACT IS THE OWNER.	OCT 3.0 2002	
Approved by (Signature)	Name (Printed/Typed) BRADLEY G. HILL	DIVISION OF	Date 11-64-02
The	ENVIRONMENTAL SCIENTIST III	OIL, GAS AND MINING	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #14927 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal

T8S, R22E, S.L.B.&M. WEST - 80.00 (G.L.O.) (C.L.O.) 8 N00.02'W N00.02 1938 Brass Cap, Pile of Stones OU SG #12W-10-8-22 882' Elev. Ungraded Ground = 4947' VOO '04 '01 "W LOT 1 LOT 3 LOT 4 N89'30'19"W LOT 2 43.66' (Meas.) Brass Cap Corner A Brass Cap N89'21'37"W - 2595.72' (Meas.) S89'20'36"E - 2639.16' (Meas.) 1938 Brass Cap 0.7' LWC 1967 Brass High, Pile of Stones 0.2' High L 0.32 Chns. (G.L.O.) LEGEND: = 90° SYMBOL (NAD 83) = PROPOSED WELL HEAD. LATITUDE = $40^{\circ}08'05.65"$ (40.134903) LONGITUDE = $109^{\circ}25'56.82"$ (109.432450) = SECTION CORNERS LOCATED.

SHENANDOAH ENERGY, INC.


Well location, OU SG #12W-10-8-22, located as shown in the NW 1/4 SW 1/4 of Section 10, T8S, R22E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK (20EAM) LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



SCALE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SORVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLET

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

	,	
SCALE 1" = 1000'	DATE SURVEYED: 09-11-02	DATE DRAWN: 09-12-02
D.A. J.A. D.COX	REFERENCES G.L.O. PLA	AT
WEATHER WARM	FILE SHENANDOAH	ENERGY, INC.

$^{0\ 0\ 3}$ United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

<date>

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2002 Plan of Development White River Unit, Uintah County, Utah.

Pursuant to email between Diana Mason, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following well is planned for calendar year 2002 within the White River Unit, Uintah County, Utah.

Api Number

Well

Location

(Proposed PZ Wasatch)

43-047-34769 OU SG 12W-10-8-22 Sec. 10 T8S R22E 1698 FSL 882 FWL

This office has no objection to permitting the well at this time.

/s/ Michael L. Coulthard

bcc:

File - White River Unit

Division of Oil Gas and Mining

Agr. Sec. Chron Fluid Chron

MCoulthard:mc:<date>-<date>

SHENANDOAH ENERGY INC. OU SG 12W-10-8-22

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth
Uinta	Surface
Green River	2614
Mahogany Ledge	3594
Mesa	6094
TD (Wasatch)	7800

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Wasatch	7800

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3120.0 psi.

SHENANDOAH ENERGY INC. OVER AND UNDER SAGE GROUSE 12W-10-8-22 1698' FSL, 882' FWL NWSW, SECTION 10, T8S, R22E, LOT 2 UINTAH COUNTY, UTAH LEASE # UTU-43915

ONSHORE ORDER NO. 1

MULTI - POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the OU SG 12W-10-8-22 on October 22, 2002 at approximately 11:50 AM. Weather conditions were mostly cloudy and breezy at the time of the onsite. In attendance at the inspection were the following individuals:

Byron Tolman
Dixie Sadlier
Stephanie Howard
Bureau of Land Management
Stephanie Howard
Bureau of Land Management

Stephanie Howard Bureau of Land Management Jan Nelson Shenandoah Energy Inc.

Raleen Searle,

Shenandoan Energy Inc. Shenandoah Energy Inc.

1. Existing Roads:

The proposed well site is approximately 10 miles southwest of Red Wash, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

There will be no improvements made to existing access roads.

2. Planned Access Roads:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 - Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

6. Source of Construction Materials:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

7. Methods of Handling Waste Materials:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

8. Ancillary Facilities:

Please see Shenandoah Energy Inc. Standard Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads

A felt and plastic pit liner is required.

10. Plans for Reclamation of the Surface:

Please see Shenandoah energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Township 07 and 08 South, Ranges 21 to 24 East.

Seed mix # 5.

11. Surface Ownership:

The well pad and access road are located on lands owned by:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A paleontological survey was conducted by Sue Ann Bileby.

Lessee's or Operator's Representative:

John Busch Red Wash Operations Rep. Shenandoah Energy Inc. 11002 East 17500 South Vernal, Utah 84078 (435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

_loh-Burel	28-Oct-02
John Busch	Date
Red Wash Operations Representative	

Additional Operator Remarks:

Shenandoah Energy Inc. proposes to drill a well to 7800' to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 and 24 East.

See Onshore Order No. 1 attached

Please be advised that Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. UT-1237. The principal is Shenandoah Energy Inc. via surety as consent as provided for the 43 CFR 3104.2.

SHENANDOAH ENERGY, INC.

OU SG #12W-10-8-22

LOCATED IN UINTAH COUNTY, UTAH SECTION 10, T8S, R22E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #1 TO LOCATION STAKE

CAMERA ANGLE: SOUTHERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHEASTERLY




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


MONTH DAY YEAR


РНОТО


TAKEN BY: D.A. | DRAWN BY: P.M. | REVISED: 00-00-00















WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/30/2002	API NO. ASSIGNI	ED: 43-047-3476	59
WELL NAME: OU SG 12W-10-8-22 OPERATOR: SHENANDOAH ENERGY INC (N4235) CONTACT: JOHN BUSCH	PHONE NUMBER: 4	35-781-4341	
PROPOSED LOCATION:	INSPECT LOCATN	BY: / /	
NWSW 10 080S 220E SURFACE: 1698 FSL 0882 FWL	Tech Review	Initials	Date
BOTTOM: 1698 FSL 0882 FWL UINTAH	Engineering	<u>-</u>	
WHITE RIVER (705)	Geology		
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-43915	Surface		
SURFACE OWNER: 1 - Federal	LATITUDE: 40.1	3498	
PROPOSED FORMATION: WSTC	LONGITUDE: 109.	43169	
Plat Plat Plat Mean Potash (Y/N) Noil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) Noc Review (Y/N) (Date:) No Fee Surf Agreement (Y/N)	LOCATION AND SITE R649-2-3. Unit WHITE RIVER R649-3-2. O Siting: 460 F R649-3-3. F Drilling Unit Board Cause Eff Date: Siting: R649-3-11.	General rom Qtr/Qtr & 920' Exception Lt E No:	
COMMENTS: Sop, Seperate file			
STIPULATIONS: 1- Edwal Approal 2- Spacing Shp			



SHENANDOAH ENERGY INC.

11002 East 17500 South Vernal, UT 84078 Phone: (435) 781-4300 Fax (435) 781-4329

October 30, 2002

Division of Oil, Gas & Mining 1594 W. N. Temple STE 1210 Salt Lake City, UT 84114-5801

To Whom It May Concern:

In reference to the State Oil and Gas Conservation rule R649-3-3 Shenandoah Energy Inc. OU SG 12W-10-8-22 is an exception to this rule due to topography.

There are no additional lease owners with 460' of the proposed location. If you have any question please contact Raleen Searle @ (435) 781-4309.

Thank you,

Raleen Searle

Regulatory Affairs Analyst

 $0\ 0\ 5$



Michael O. Leavitt Governor Robert L. Morgan Executive Director Lowell P. Braxton

Division Director

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 (801) 538-5340 telephone (801) 359-3940 fax (801) 538-7223 TTY www.nr.utah.gov

November 4, 2002

Shenandoah Energy Inc. 11002 E 17500 S Vernal, UT 84078

Re: Over and Under Sage Grouse 12W-10-8-22 Well, 1698' FSL, 882' FWL, NW SW,

Sec. 10, T. 8 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34769.

Sincerely,

John R. Baza
/Associate Director

pb

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office



Operator:		Shenandoah Energy Inc.				
Well Name & Number_		Over and Under Sage Grouse 12W-10-8-22				
API Number:		43-047-34769				
Lease:		UTU-43915				
Location: NW SW	Sec. 10	T. 8 South	R. 22 East			

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

007

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed be	elow has change	d, effec	ive:		2/	1/2003			
FROM: (Old Operator):				TO: (New Operator):					1
N4235-Shenandoah Energy Inc				N2460-QEP I	Uinta Basin	Inc		· · ·	1
11002 E 17500 S				11002	E 17500 S				l
Vernal, UT 84078-8526				Verna	il, UT 84078	3-8526			١
Phone: (435) 781-4341				Phone:	(435) 781-				l
1 Hone. (433) 701-4341	CA N-					HITE RI	VED LIN	IT	1
	CA No.			Unit:	· · · · · · · · · · · · · · · · · · ·	THER	VERUN	1.1	-
WELL(S)				•					L
NAME	S 1	ECTW	N RNG	API NO	ENTITY	L	WELL	WELL	C
					NO	TYPE	TYPE	STATUS	
OU GB 13W-4-8-22	04	1 080	S 220E	4304734752		Federal	GW	APD	1
OU GB 11W-4-8-22	04	1 080		4304734761		Federal	GW	APD	1
OU GB 3W-4-8-22	04	1 080	S 220E	4304734806		Federal	GW	APD	1
OU GB 4W-4-8-22	04	1 080	S 220E	4304734807		Federal	GW	APD	1
OU GB 5W-4-8-22	04			4304734808		Federal	GW	APD	1
OU GB 6W-4-8-22	04	1 080		4304734809		Federal	GW	APD	1
OU GB 9W-9-8-22	09	080	S 220E	4304734650	1	Federal	GW	APD	1
OU GB 10W-9-8-22	09	080	S 220E	4304734651	13730	Federal	GW	P	(
OU GB 12W-9-8-22	09	080	S 220E	4304734652	13712	Federal	GW	TA	(
OU GB 11W-9-8-22	09	9 080	S 220E	4304734653		Federal	GW	APD	(
OU GB 16W-9-8-22	09	080	S 220E	4304734679	13729	Federal	GW	P	(
OU GB 5W-9-8-22	09	080	S 220E	4304734753		Federal	GW	APD	(
OU GB 3W-9-8-22	09	080	S 220E	4304734763		Federal	GW	APD	(
OU GB 11W-10-8-22	10	080	S 220E	4304734691		Federal	GW	APD	(
OU GB 12W-10-8-22	10	080	S 220E	4304734769	13864	Federal	GW	DRL	(
WRU EIH 14W-26-8-22	26	5 080	S 220E	4304734835	12528	Federal	GW	DRL	(
WRU EIH 11W-26-8-22	20	5 080	S 220E	4304734836		Federal	GW	APD	(
WRU EIH 6W-35-8-22	3.5	5 080	S 220E	4304734684	13544	Federal	GW	DRL	(
							1		1

OPERATOR CHANGES DOCUMENTATION

Enter date	after	each	listed	item	is	comp	leted

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 6/19/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If **NO**, the operator was contacted contacted on:

6.	(R649-9-2)Waste Management Plan has been received on:	IN PLACE
7.	Federal and Indian Lease Wells: The BLM and or the BIA or operator change for all wells listed on Federal or Indian leases on:	has approved the merger, name change, 7/21/2003
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for we	ells listed on: <u>7/21/2003</u>
9.	Federal and Indian Communization Agreements ("CA The BLM or BIA has approved the operator for all wells listed within	
10	to the enhanced/secondary recovery unit/project for the water dispose	on has approved UIC Form 5, Transfer of Authority to In al well(s) listed on:
D.	ATA ENTRY:	
1.	Changes entered in the Oil and Gas Database on:	9/11/2003
2.	Changes have been entered on the Monthly Operator Change Sprea	d Sheet on: 9/11/2003
3.	Bond information entered in RBDMS on:	n/a
4.	Fee wells attached to bond in RBDMS on:	n/a
S 7	State well(s) covered by Bond Number:	965-003-032
	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	ESB000024
IN 1.	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	799446
	EE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by Bo	ond Number 965-003-033
	The FORMER operator has requested a release of liability from their b The Division sent response by letter on:	ond on: <u>n/a</u> n/a
	CASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted of their responsibility to notify all interest owners of this change on:	ed and informed by a letter from the Division
CC	DMMENTS:	





United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

QEP Uinta Basin, Inc. 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

White River Unit Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the White River Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under White River Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the White River Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - White River Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

TAThomas a see the Ci

UT922:TAThompson:tt:6/9/03

Form 3160-3 (August 1999)

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

UNITED STA	AIES					
DEPARTMENT OF IT BUREAU OF LAND M	DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT					
0.06 APPLICATION FOR PERMIT T	6. If Indian, Allottee or Tribe Name					
la. Type of Work: ⊠ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name and No. White River Unit				
1b. Type of Well: ☐ Oil Well ☑ Gas Well ☐ Oth		8. Lease Name and Well No. OU SG 12W-10-8-22 9. API Well No.				
Name of Operator Contact: , SHENANDOAH ENERGY INC.	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	10. Field and Pool, or Exploratory				
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3a. Address 3b. Phone No. (include area code) Ph: 435.781.4341					
Location of Well (Report location clearly and in accorded At surface NWSW 1698FSL 882FWL At proposed prod. zone	CCT 3 0 2002	11. Sec., T., R., M., or Blk. and Survey or Area Sec 10 T8S R22E Mer SLB				
14. Distance in miles and direction from nearest town or post of 10 +/- MILES SOUTHWEST OF REDWASH, UT	office* -AH	12. County or Parish 13. State UINTAH UT				
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 882' +/-	16. No. of Acres in Lease 227.60	17. Spacing Unit dedicated to this well 40.00				
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 1000' +/- 	19. Proposed Depth 7800 MD 7800 TVD	20. BLM/BIA Bond No. on file UT-1237 23. Estimated duration				
21. Elevations (Show whether DF, KB, RT, GL, etc. 4954 KB	22. Approximate date work will start	10 DAYS				
	24. Attachments					
The following, completed in accordance with the requirements of the following of the following of the following state of the following st	4. Bond to cover the operati Item 20 above). 5. Operator certification	this form: ons unless covered by an existing bond on file (see aformation and/or plans as may be required by the				
25. Signature (Electronic Submission)	Name (Printed/Typed) JOHN BUSCH	Date 10/28/2002				
Title OPERATIONS						
Approved by (Signature) / Cauling	Name (Printed/Typed)	07/08/03				
Title Designant Field Manager	Office Maria Communication	The ship would entitle the annicent to conduct				
Application approval does not warrant or certify the applicant hoperations thereon. Conditions of approval, if any, are attached.	olds legal or equitable title to those rights in the subject	lease which would entitle the approach to conduct				

Additional Operator Remarks (see next page)

Electronic Submission #14927 verified by the BLM Well Information System For SHENANDOAH ENERGY INC., sent to the Vernal Committed to AFMSS for processing by LESLIE WALKER on 11/01/2002 ()

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

JUL 1 4 2003

COAs Page 1 of 3 Well No.: OU SG 12W-10-8-22

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.
Well Name & Number: OU GB 12W-10-8-22
API Number: 43-047-34769
Lease Number: UTU - 43915
Location: NWSW Sec. 10 TWN: 08S RNG: 22E
Agreement: WHITE RIVER X

COAs Page 2 of 3 Well No.: OU SG 12W-10-8-22

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease, which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at $\pm 2,686$ ft.

COAs Page 3 of 3 Well No.: OU SG 12W-10-8-22

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

A qualified paleontologist must be onsite during construction of the location to ensure that any paleontological resources are protected.

Corner 2 shall be rounded enough for the drainage to go between the road and the location.

No topsoil is required to be saved on this location.

The reserve pit shall be lined with a plastic liner and a felt liner.

Once the location is plugged and abandoned, it shall be recontoured to natural contours, and the entire location seeded with the recommended seed mix. Seeding can be done by broadcasting the seed and walking it in with a dozer. Seeding shall take place immediately after the dirt work is completed.

The seed mix for this location shall be #5:

Gardner saltbush Shadscale Atriplex gardneri Atriplex confertifolia 6 lbs./acre 6 lbs./acre

-All poundages are in pure live seed.

-Reseeding may be required if first seeding is not successful.

SEI (N4235) to QEP (N2460)

									,	
well name	Sed		R	api DOGM	Entity			stat		unit_name
OU GB 9W-9-8-22	09	080S	220E	4304734650		Federal	GW	APD	C	WHITE RIVER
OU GB 10W-9-8-22	09	080S	220E	4304734651	13730	Federal	GW	P	C	WHITE RIVER
OU GB 12W-9-8-22	09	080S	220E	4304734652	13712	Federal	GW	TA	C	WHITE RIVER
OU GB 11W-9-8-22	09	080S	220E	4304734653		Federal	GW	APD	C	WHITE RIVER
OU GB 16W-9-8-22	09	080S	220E	4304734679	13729	Federal	GW	P	C	WHITE RIVER
WRU EIH 6W-35-8-22	35	080S	220E	4304734684	13544	Federal	GW	DRL	C	WHITE RIVER
OU GB 11W-10-8-22	10	080S	220E	4304734691		Federal	GW	APD	C	WHITE RIVER
OU GB 13W-4-8-22	04	080S	220E	4304734752		Federal	GW	APD	C	WHITE RIVER
OU GB 5W-9-8-22	09	080S	220E	4304734753		Federal	GW	APD	С	WHITE RIVER
OU GB 11W-4-8-22	04	080S	220E	4304734761		Federal	GW	APD	C	WHITE RIVER
OU GB 3W-9-8-22	09	080S	220E	4304734763		Federal	GW	APD	C	WHITE RIVER
OU GB 12W-10-8-22	10	080S	220E	4304734769	13864	Federal	GW	DRL	C	WHITE RIVER
OU GB 3W-4-8-22	04	080S	220E	4304734806		Federal	GW	APD	C	WHITE RIVER
OU GB 4W-4-8-22	04	080S	220E	4304734807		Federal	GW	APD	C	WHITE RIVER
OU GB 5W-4-8-22	04	080S	220E	4304734808		Federal	GW	APD	C	WHITE RIVER
OU GB 6W-4-8-22	04	080S	220E	4304734809		Federal	GW	APD	C	WHITE RIVER
WRU EIH 14W-26-8-22	26	080S	220E	4304734835	12528	Federal	GW	DRL	C	WHITE RIVER
WRU EIH 11W-26-8-22	26	080S	220E	4304734836		Federal	GW	APD	C	WHITE RIVER

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No. U-43915

0	0	C
11	11	- 74
11	17	C

SUNDRY NOTICES AND REPORTS ON WELLS

	0-4	001	J			
_	TCY	4 .		 	 N.T.	

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well ☐ Oil Well	ner				8. Well Name and No. OU SG 12W-10-8-22		
2. Name of Operator SHENANDOAH ENERGY INC	Contact:	RALEEN SEARL E-Mail: raleen.sea	E rle@questar.co		9. API Well No. 43-047-34769		
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No. (in Ph: 435.781.4) Fx: 435.781.43	309)	10. Field and Pool, o WHITE RIVER		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,)			11. County or Parish	, and State	
Sec 10 T8S R22E NWSW 169	98FSL 882FWL				UINTAH COU	NTY, UT	
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE NA	ATURE OF I	NOTICE, RE	PORT, OR OTHE	ER DATA	
TYPE OF SUBMISSION			TYPE O	F ACTION			
S Neder of Let	☐ Acidize	☐ Deepen	<u></u>	☐ Production	on (Start/Resume)	☐ Water Shut-Off	
☑ Notice of Intent	☐ Alter Casing	☐ Fracture	Treat	☐ Reclamat	ion	☐ Well Integrity	
☐ Subsequent Report	□ Casing Repair	☐ New Co	nstruction	□ Recompl	ete	Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and	d Abandon	□ Tempora	rily Abandon		
	☐ Convert to Injection	☐ Plug Ba	ck	□ Water Di	sposal		
Shenandoah Energy Inc. has	need to change the name	for the OU SG	12W-10-8-22	to OU GB 12	W-10-8-22.		
14. I hereby certify that the foregoing is	Electronic Submission #	21579 verified by DOAH ENERGY I	the BLM We NC., sent to t	II Information S the Vernal	System		
Name(Printed/Typed) RALEEN	Ti	tle REGUI	_ATORY AFF	AIRS ANALYST			
Signature Rally	D	ate 05/08/2	2003				
	THIS SPACE FO	OR FEDERAL	OR STATE	OFFICE US	E		
Approved By			Title		Date		
Conditions of approval, if any, are attached certify that the applicant holds legal or eqwhich would entitle the applicant to conditions.	uitable title to those rights in the uct operations thereon.	e subject lease	Office				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any perso to any matter withi	n knowingly an n its jurisdiction	d willfully to ma	ke to any department	or agency of the United	

State of Utah Division of Oil, Gas and Mining

ENTITY ACTION FORM - FORM 6

OPERATOR:

OPERATOR ACCT. No. N-4235

Shenandoah Energy, Inc. (QEP) ADDRESS:

11002 East 17500 South

Vernal, Utah 84078-8526

(435)781-4300

Action Code	Current Entity No.	New Entity No	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	 	13864	43-047-34769	OU GB 12W 10 8 22	NWSW	10	88	22E	Uintah	8/19/03	9/8/03
WELL 1	COMMENT	TS: White Rev	ee-er lis	· 10.		•	•	•			
ELL 2	COMMEN	TS:									
WELL 3	COMMEN	rs:									
WELL 4	COMMEN	rs:				<u></u>					
WELL 5	COMMEN	rs:									
ACTIO	CODES (See instruction	is on back of form)							() () 1 0

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)



Signature

Clerk Specialist 8/28/03 Title

Date

Phone No. (435) 781-4342



Form 3160-5 (June 1990)

UNITED STATES MENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED	•

Budget Bureau No. 1004-0135 Expires: March 31, 1993

5 Lease Designation and Serial No.

11	7	
()		U
τ,		11

SUNDRY NO Do not use this form for proposals to drill or	TICES AND REPORTS ON WELLS to deepen or reentry to a different reservoir	UTU-43915
	TON FOR PERMIT" for such proposals	6 If Indian, Allottee or Tribe Name N/A
SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
. Type of Well Oil Gas		WHITE RIVER UNIT
Well X Well Other		8. Well Name and No.
		OU GB 12W 10 8 22
2. Name of Operator OEP UINTA BASIN, 17.C.		9. API Well No.
Address and Telephone No	Contact: dahn.caldwell@questar.com	43-047-34769
11002 E. 17500 S. VERNAL, UT 84078-8526	435.781.4342 Fax 435.781.4357	10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description)		WHITE RIVER
NWSW		11. County or Parish, State
1698' FSL, 882' FWL		UINTAH COUNTY, UTAH
CHECK APPROPRIATE P	OX(s) TO INDICATE NATURE OF NOTICE, I	REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Spud	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

This well was spud on 8/19/03. Drill 12-1/4" hole to 470'KB. Ran 10 jts 9-5/8" csg to 463' KB.

SEP 0 2 2003 -BLM, 2- Utah OG&M, 1 – Denver, 1 – file Word file-server 8/28/03 **Authorized Representative** (This space for Federal or State office use) Title Approved by: Conditions of approval, if any Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or

representations as to any matter within its jurisdiction

Form	3160-5
(June	1990)

I hereby certify that the foregoing is true Signed RALEEN SEARLE

representations as to any matter within its jurisdiction.

(This space for Federal or State office use)

Conditions of approval, if any

Approved by

UNITED STATES RTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

011

SUNDRY NOTICES AND REPORTS ON WELLS

Lease Designation and Serial No.

UTU-439	15

Do not use this form for proposals to drill or to Use "APPLICAT	Geepen or reentry to a different reservoir TON FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name
		N/A
SUBM	7. If Unit or CA, Agreement Designation	
Type of Well Oil Gas		WHITE RIVER UNIT
Well Well Other		8. Well Name and No. OU GB 12W-10-8-22
2. Name of Operator QEP UINTA BASIN, INC		9. API Well No.
3. Address and Telephone No		43-047-34769
11002 E. 17500 S. VERNAL, UT 84078-8526	(435) 781-4309	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		WHITE RIVER
1698 FSL, 882 FWL, NWSW, SECTION 10,	T8S, R22E	11. County or Parish, State UINTAH, UTAH
12. CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	1
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other TD CHANGE	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true vertical depths for all m	details, and give pertinent dates, including estimated date of starting any proposed work. It arkers and zones pertinent to this work) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
16 16 -03 CHL	10-14-03/16 15-04-4/16	

OCT 0 3 2003

Date

9/30/03

REGULATORY AFFAIRS ANALYST

Title

Title

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BURFALLOF LAND MANAGEMENT

BUREAU OF LAND MANAGEMENT
Y NOTICES AND REPORTS ON WELLS

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

Expires: November 30, 2

5. Lease Serial No.

_		_
43	4	• •
		•
11	- 6	

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

	UTU43	915	
6	If Indian	Allottee or Tribe Name	

abandoned we	II. Use form 3160-3 (APD)	for such pro	posals.		6. If Indian, Allottee of	or Tribe Name
SUBMIT IN TRI	PLICATE - Other instructi	ons on revers	se side.		7. If Unit or CA/Agre 891003509X	ement, Name and/or No.
1. Type of Well					8. Well Name and No. OUGB 12W 10 8	
☐ Oil Well ☑ Gas Well ☐ Otl 2. Name of Operator	Contact: A	NN PETRIK			9. API Well No.	
SHENANDOAH ENERGY INC	Salar Care	-Mail: ann.petrik			43-047-34769	
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No. (ii Ph: 435.781.4 Fx: 435.781.4	1306)	10. Field and Pool, or WHITE RIVER	Exploratory
4. Location of Well (Footage, Sec., T	C., R., M., or Survey Description)				11. County or Parish, and State	
Sec 10 T8S R22E NWSW 169	98FSL 882FWL				UINTAH COUN	TY, UT
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE N	ATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION		
☐ Notice of Intent	☐ Acidize	☐ Deeper	ı	☐ Producti	on (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Fractur	e Treat	☐ Reclama	ition	☐ Well Integrity
	☐ Casing Repair	☐ New C	onstruction	☐ Recomp	lete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug ar	d Abandon	☐ Tempora	rily Abandon	Production Start-up
	☐ Convert to Injection	☐ Plug B	ack	□ Water D	isposal	
						DEC 1 8 2003
14. I hereby certify that the foregoing is Name (Ppinted/Typed) ANN PET	Electronic Submission #25 For SHENAND Committed to AFMSS for	OAH ENERGY by	NC., sent to LESLIE WAL	the Vernal	2003 ()	
7,000	TAIN		, Divini	IIOTTO (TTVE	30117101	
Signature (Electronic s	Submission)	D	ate 12/02/2	2003		
	THIS SPACE FOR	RFEDERAL	OR STATE	OFFICE US	SE .	
			777.1		D-:	
_Approved By			Title		Date	
Conditions of approval, if any, are attache certify that the applicant holds legal or equal which would entitle the applicant to condu-	uitable title to those rights in the si		Office			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent					ke to any department or	agency of the United

UNITED STATES RTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPRO	OVED
Dudget Dugger Ma	1004.0

Expires: March 31, 1993

74	KM AF	PRC) v Ei
Budget	Bureau	No.	1004

Λ	4	ิด
11		.1

Lease Designation and Serial No.

F TOTAL	1201	

	TICES AND REPORTS ON WELLS	UTU-43915
Do not use this form for proposals to drill or	-	6. If Indian, Allottee or Tribe Name
Use "APPLICAT	TON FOR PERMIT" for such proposals	N/A
CVD1	IN THE WINDS AND	7. If Unit or CA, Agreement Designation
Type of Well	IT IN TRIPLICATE	
Oil Gas		WHITE RIVER UNIT
Well Well Other		8. Well Name and No.
		OU GB 12W 10 8 22
2 Name of Operator		
QEP UINTA BASIN, INC.		9. API Well No.
3. Address and Telephone No.	Contact: dahn.caldwell@questar.com	43-047-34769
11002 E. 17500 S. VERNAL, UT 84078-8526	435.781.4342 Fax 435.781.4357	10. Field and Pool, or Exploratory Area
4 Location of Well (Footage, Sec., T., κ., №1., or Survey Description)		WHITE RIVER
NWSW, Sec 10, T8S, R22E	Carry	11. County or Parish, State
1698' FSL, 882' FWL	SOLD STATE	UIÑTAH COUNTY, UTAH
12 CUECV A DDD ODDIATE D	OW/) TO DEPLOY TO DESCRIPTION OF THE OWNER OWN	
CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE, REPORT	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	4
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Commingling	Dispose Water
		(Note) Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true vertical depths for all n "In compliance with the stated objectives of the Fe Exploration and Production Company hereby req commingling to be in the public interest in that it j production of oil and gas and presents no detrime Questar requests approval for the commingling be production between the intervals is described belo 1 – All three Wasatch Zones located at these depth placed on production for a minimum of 90 days to 2 – The initial allocation is being estimated from to Mesa Verde Production: 32% - for 8' of net Wasatch Production: 68% - for 17' of net 3 – After the well is stabilized a production survey Wasatch. 4 – If the production survey demonstrates that the amended to reflect those changes. 5 – On an annual basis the gas will be sampled and	ederal Regulations for Onshore Oil & Gas Operations and the appropriate the commingling of production between intervals in the OU promotes maximum ultimate economic recovery, prevents waste, putal effects from commingling the two gas streams. The proposed metween the Mesa Verde and Wasatch intervals. The proposed metwe:	plicable Federal Unit Agreement, Questar GB 12W 10-8-22. Questar considers this provides for orderly and efficient thod to determine the allocation of Gerde Zone located at 8660' – 8669' will be d analyzed to serve as a baseline. Cation would be: produced gas from the Mesa Verde and the ed allocation, the OGOR Report will be tuents. These annual samples can be used
discontinued after the lifth anniversary of the initial land land land land land land land la	time. If these samples do not indicate that any adjustments in allegial production. Title District Production Superintendent	Date 10/27/03
Approved by.	Title	Date
Conditions of approval, if any	12000	CONFIDENTIAL

Title 18 U.S.C. Section 1001, makes it a crune for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

CHESTY

ADDITIONAL INFORMATION REQUIRED FOR APPROVAL OF COMMINGLING REQUEST

Well Name and Number: OU GB 12M 10 8 22

API Number: 43-047-34769

Operator: QEP Uinta Basin, Inc.

Reference Document: Original Sundry dated October 27, 2003,

received by DOGM on October 29, 2003

Insufficient information was submitted to the Division to approve the referenced well for commingling. The following requirements of R649-3-22 – Completion Into Two Or More Pools, have not been submitted with this request.

- 1. An exhibit showing the location of all wells on contiguous oil and gas leases or drilling units overlying the pool (R649-3-22-1), and
- 2. An affidavit showing that the operator has provided a copy of the application to the owners of all contiguous oil and gas leases or drilling units overlying the pool (R649-3-22-3).

For approval consideration, please resubmit your application and include the requirements listed above in your application. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Dustin K. Doucet

Petroleum Engineer

January 29, 2004

Date

Form 3160-4 (November 1983) (formerly 9-330)

BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLI

Form approved. Budget Bureau No. 1004-0137

structions on

Expires August 31, 1985

LEASE DESIGNATION AND SERIAL NO.

reverse side).

1.1			•				U-43915
	WELL COMPL	ETION OR RECO	MPLETION RE	PORT AND LOG	*	6. IF INDIAN, A	LLOTTEE OR TRIBE NAME N/A
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		7. UNIT AGREE	ACATANA G
la. TYPE OF WELL	-	OIL GA	ELL X DRY	Other		/. UNII AGREE	N/A
b TYPE OF COME	PLETION			CHNEID	FNTIAL	_	
NEW WELL X	WORK OVER		LUG DIFF.	- Innerental	TA HAL	8. FARM OR LE	ASE NAME
NAME OF OPERATO						9. WELL NO.	V
QEP Uinta Basi	n, Inc.		e "	The second secon	e programa de se de la composição de la co	OU	GB 12MV 10-8-22
ADDRESS OF OPER		0.4070.0537		.Caldwell@questa			OOL, OR WILDCAT
	S. VERNAL, UT LL (Report location cl	early and in accordance v		781-4342 CONFIE	7 mm 1 4 1 13 10mm	· · · · · ·	WHITE RIVER
	1.74	•			RIOD	V :	
At surface NWS	SW – 1698' FSL,	882' FWL	d	EXP	IRED -/-04	11. SEC.,T., R., M	L, OR BLOCK AND SURVEY
At top rod. interval rep	ported below	NWSW – 1698' FS	L, 882' FWL	ON_19	7-04	Sec 10	T8S R22E Mer SLB
At total depth	NWSW – 1698' F	SL, 882' FWL				44	
			14. PERMIT		DATE ISSUED	12. COUNTY C PARISH	DR 13. STATE
DAME ON TOWN	T		43-041	2-34769		Uint	
DATE SPUDDED 8/19/03	16. DATE T.D. RI	9/26/03	17. DATE CO	MPL. (Ready to prod.) 11/01/03	18. ELEVATIO	ONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
OTAL DEPTH, MD & TV	VD 21. PLUG	GBACK T.D., MD & TVD		TIPLE COMPL., MANY*	23. INTERVAI DRILLED		CABLE TOOLS
9687'		9526'			>		
658' – 8667'				,			25. WAS DIRECTIONAL SURVEY MADE No
PRODUCING INTERVAL 658' – 8667' 510' – 7524' 344' – 7366' TYPE ELECTRIC AND HRI, SPECTRAL	WSTC	-/BG#		,		27.	SURVEY MADE No Was well cored
558' – 8667' 510' – 7524' 344' – 7366' Type el ectric and c HRI, SPECTRAL	WST C OTHER LOGS RUN DENSITY DSN	BG#	10-21-03 CASING REC	ORD (Report all strings :			SURVEY MADE No No WAS WELL CORED No
658' – 8667' 510' – 7524' 344' – 7366'	WSTC	/BG# GR/CBL-Rec	10-21-03		СЕМЕ	NTING RECORD	SURVEY MADE No No
658' – 8667' 510' – 7524' 344' – 7366' Type electric and c HRI, SPECTRAL CASING SIZE	WSTC OTHER LOGS RUN DENSITY DSN WEIGHT, LB	GR/CBL - Rec	10-21-03 CASING REC	ORD (Report all strings : HOLE SIZE	СЕМЕ		SURVEY MADE No No WAS WELL CORED No
658' – 8667' 510' – 7524' 344' – 7366' Type Electric and C HRI, SPECTRAL CASING SIZE 9.625	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0	GR/CBL - Rec	10-21-03 CASING REC SET (MD)	ORD (Report all strings : HOLE SIZE 12.25	СЕМЕ	NTING RECORD 175 sxs	SURVEY MADE No No WAS WELL CORED No
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND 6 HRI, SPECTRAL CASING SIZE 9.625 4.50	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6	GR/CBL - Rec OFT. DEPTH 4 9 LINER RECORD	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875	30.	NTING RECORD 175 sxs	SURVEY MADE No WAS WELL CORED NO AMOUNT PULLED
558' – 8667' 510' – 7524' 544' – 7366' Type electric and o HRI, SPECTRAL CASING SIZE 9.625	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0	GR/CBL - Rec. JFT. DEPTH 4 9	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings : HOLE SIZE 12.25	CEMEI	NTING RECORD 175 sxs 2625 sxs TUBING RE DEPTH SET (MD)	SURVEY MADE No WAS WELL CORED NO AMOUNT PULLED
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND 6 HRIT, SPECTRAL CASING SIZE 9.625 4.50	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6	GR/CBL - Rec OFT. DEPTH 4 9 LINER RECORD	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875	30.	NTING RECORD 175 sxs 2625 sxs TUBING RE	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED
558' - 8667' 510' - 7524' 844' - 7366' TYPE ELECTRIC AND 6 HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD)	30. SIZE 2.375 ACID, SHO	NTING RECORD 175 sxs 2625 sxs TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU	SURVEY MADE No WAS WELL CORED NO AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC.
558' - 8667' 510' - 7524' 544' - 7366' TYPE ELECTRIC AND G HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667'	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN:	30. SIZE 2.375 ACID, SHO	NTING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC. OF MATERIAL USED
558' - 8667' 510' - 7524' 544' - 7366' TYPE ELECTRIC AND G HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667' 510' - 7524'	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD)	30. SIZE 2.375 ACID, SHO	NTING RECORD 175 sxs 2625 sxs TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000	SURVEY MADE No WAS WELL CORED NO AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC.
558' - 8667' 510' - 7524' 444' - 7366' TYPE ELECTRIC AND 6 HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667' 510' - 7524' 362' - 7366'	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667'	30. SIZE 2.375 ACID, SHO	NTING RECORD 175 \$X\$ 2625 \$X\$ TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 105,000	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC. OF MATERIAL USED ## in 57,162 Gals
558' - 8667' 510' - 7524' 444' - 7366' TYPE ELECTRIC AND 6 HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667' 510' - 7524' 362' - 7366'	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	10-21-03 CASING REC SET (MD) 163 687	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524'	30. SIZE 2.375 ACID, SHO	NTING RECORD 175 \$X\$ 2625 \$X\$ TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 105,000	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) FEEZE, ETC. FOR MATERIAL USED If in 57,162 Gals If in 44,772 Gals
558' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND G HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356'	WST COTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD)	CASING RECUSET (MD) 63 687 SACKS CEMENT*	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366'	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 sxs 2625 sxs TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) FEEZE, ETC. FOR MATERIAL USED If in 57,162 Gals If in 44,772 Gals
558' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND O HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03	WST COTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) DRD (Interval, size and	GR/CBL - Rec FT. DEPTH 4 9 LINER RECORD BOTTOM (MD) mumber)	CASING REC SET (MD) 163 687 SACKS CEMENT*	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366' PRODUCTION size and type of pump) ws from well	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA shut-in)	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) EEZE, ETC. OF MATERIAL USED ## in 57,162 Gals ## in 44,772 Gals ## in 55,395 Gals ATUS (Producing or Producing
558' - 8667' 510' - 7524' 444' - 7366' TYPE ELECTRIC AND G HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 558' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST	WST COTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD)	GR/CBL - Rec FT. DEPTH 4 9 LINER RECORD BOTTOM (MD) mumber)	CASING REC SET (MD) 163 687 SACKS CEMENT*	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366' PRODUCTION size and type of pump)	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 sxs 2625 sxs TUBING RE DEPTH SET (MD) 7310 T, FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) EEZE, ETC. OF MATERIAL USED Hi in 57,162 Gals Hi in 44,772 Gals Hi in 55,395 Gals ATUS (Producing or
558' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND G HRI, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROF HOURS TESTED 24	GR/CBL - Rec GR/CBL - Rec JFT. DEPTH 9 LINER RECORD BOTTOM (MD) Trumber) CHOKE SIZE	CASING REC SET (MD) 163 687 SACKS CEMENT* PROD'N FOR TIEST PERIOD PROD'N FOR	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366', PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA shut-in) WATER-BBL. 17.2	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC. OF MATERIAL USED HI in 57,162 Gals HI in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND GENERAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03 OW. TUBING PRESS.	WST-C OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROF HOURS TESTED 24 CASING PRESSUR	GR/CBL - Rec GR/CBL - Rec JFT. DEPTH 9 LINER RECORD BOTTOM (MD) Trumber) CHOKE SIZE	CASING REC SET (MD) 163 687 SACKS CEMENT* PROD'N FOR TEST PERIOD OIL—BBI	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366', PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA shut-in) WATER-BBL. 17.2	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC. OF MATERIAL USED HI in 57,162 Gals HI in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND G HRIT, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03 OW. TUBING PRESS. 1283	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROL PROL CASING PRESSUR 1415	GR/CBL - Rec FT. DEPTH 4 9 LINER RECORD BOTTOM (MD) mumber) CHOKE SIZE CHOKE SIZE	CASING REC SET (MD) 163 687 SACKS CEMENT* PROD'N FOR TEST PERIOD OIL—BBI	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366', PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 105,000 Frac w/ 130,500 WELL STA shut-in) WATER-BBL 17.2 WATER-BBL	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED CORD PACKER SET (MD) EEZE, ETC. OF MATERIAL USED HI in 57,162 Gals HI in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND O' HRIT, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03 OW. TUBING PRESS. 1283 DISPOSITION OF GAS. Sold	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROL PROL HOURS TESTED 24 CASING PRESSUR 1415 (Sold, used for fuel, ver	GR/CBL - Rec FT. DEPTH 4 9 LINER RECORD BOTTOM (MD) mumber) CHOKE SIZE CHOKE SIZE	CASING REC SET (MD) 163 687 SACKS CEMENT* PROD'N FOR TEST PERIOD OIL—BBI	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366', PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 130,500 Frac w/ 130,500 WELL STA shut-in) WATER-BBL. 17.2	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) EEZE, ETC. OF MATERIAL USED Hi in 57,162 Gals Hi in 57,162 Gals Hi in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND O' HRIT, SPECTRAL CASING SIZE 9.625 4.50 SIZE PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03 OW. TUBING PRESS. 1283 DISPOSITION OF GAS. Sold	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROL PROL HOURS TESTED 24 CASING PRESSUR 1415 (Sold, used for fuel, ver	GR/CBL - Rec FT. DEPTH 4 9 LINER RECORD BOTTOM (MD) mumber) CHOKE SIZE CHOKE SIZE	CASING REC SET (MD) 163 687 SACKS CEMENT* PROD'N FOR TEST PERIOD OIL—BBI	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366', PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 105,000 Frac w/ 130,500 WELL STA shut-in) WATER-BBL 17.2 WATER-BBL	SURVEY MADE No WAS WELL CORED NO AMOUNT PULLED AMOUNT PULLED PACKER SET (MD) EEZE, ETC. OF MATERIAL USED Hi in 57,162 Gals Hi in 44,772 Gals Hi in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO
658' - 8667' 510' - 7524' 344' - 7366' TYPE ELECTRIC AND OF THRIT, SPECTRAL CASING SIZE 9.625 4.50 SIZE 1. PERFORATION RECO 658' - 8667' 510' - 7524' 362' - 7366' 344' - 7356' E FIRST PRODUCTION 11/01/03 DATE OF TEST 12/03/03 OW. TUBING PRESS. 1283 DISPOSITION OF GAS	OTHER LOGS RUN DENSITY DSN WEIGHT, LB 36.0 11.6 TOP (MD) PROF HOURS TESTED 24 CASING PRESSUR 1415 (Sold, used for fuel, ver	GR/CBL - Rec FT. DEPTH 9 LINER RECORD BOTTOM (MD) Trumber) CHOKE SIZE CALCULATED 24-HOUR RATE and, etc.)	CASING RECURSET (MD) 163 687 SACKS CEMENT* PROD'N FOR TEST PERIOD OIL—BBI	ORD (Report all strings: HOLE SIZE 12.25 7.875 SCREEN (MD) 32. DEPTH IN: 8658' - 8667' 7510' - 7524' 7344' - 7366' PRODUCTION size and type of pump) ws from well OIL-BBL. 1.1 Gi	30. SIZE 2.375 ACID, SHO	TUBING RECORD 175 SXS 2625 SXS TUBING RE DEPTH SET (MD) 7310 T. FRACTURE, CEMENT SQU AMOUNT AND KIND Frac w/ 130,000 Frac w/ 105,000 Frac w/ 130,500 WELL STA shut-in) WATER-BBL 17.2 WATER-BBL	SURVEY MADE No WAS WELL CORED No AMOUNT PULLED AMOUNT PULLED ECORD PACKER SET (MD) FEEZE, ETC. OF MATERIAL USED H in 57,162 Gals H in 55,395 Gals ATUS (Producing or Producing GAS-OIL RATIO OIL GRAVITY-API (CORR.)

8	TOP	TRUE VERT. DEPTH	
GEOLOGIC MARKERS OU GB 12MU 10 8 22		MEAS, DEPTH	2619' 3524' 6189' 8709' 9687'
38.		NAME	Green River Mahogony G1 Lime Wasatch Mesa Verde TD
SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):	DESCRIPTION, CONTENTS, ETC.		
all important zones of pord, cushion used, time too	BOTTOM	8208° 9687°	
OUS ZONES: (Showing depth interval teste	TOP	6189° 8709°	
37. SUMMARY OF PORO drill-stem tests, includi recoveries):	FORMATION	Wasatch Mesa Verde	

AFFIDAVIT OF NOTICE

STATE OF COLORADO)	
COUNTY OF DENVER)	SS

Angela Page, being duly sworn, deposes and says:

- That I am employed by Questar Market Resources in the capacity of Associate Landman. My business address is Independence Plaza 1050 17th Street, Suite 500 Denver, CO 80265
- 2. In my capacity as Associate Landman, pursuant to the provisions of Utah Administrative Rule 615-3-22 I have provided a copy of Questar Market Resource's application for completion of the OUGB 12MU 10-8-22 well into two or more pools, in the form of Utah Division of Oil, Gas and Mining's Form 9 Sundry Notice, to owners of all contiguous oil and gas leases or drilling units overlying the pools which are the subject of that application.
- 3. In my capacity as Associate Landman I am authorized to provide such notice of Questar Market Resource's application to contiguous owners and to make this affidavit on this 25th day of June, 2004.

Printed Name: Angela Page

The foregoing instrument was sworn to and subscribed before me this 25th day of

Notary Public G

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

1		DIVISION OF OIL, GAS AND MIN	IING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-43915
	SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do	not use this form for proposals to drill	new wells, significantly deepen existing wells below curre laterals. Use APPLICATION FOR PERMIT TO DRILL for	ent bottom-hole depth, reenter plugged wells, or to	7. UNIT OF CA AGREEMENT NAME: WHITE RIVER UNIT
	YPE OF WELL OIL WELL		m for such proposals.	8. WELL NAME and NUMBER: OU GB 12MU 10 8 22
2. N	AME OF OPERATOR:			9. API NUMBER:
	EP UINTA BASIN, INC		TOWONE ANIMADED	4304734769 10. FIELD AND POOL, OR WILDCAT:
	DDRESS OF OPERATOR: 002 E. 17500 S	VERNAL UT 8	PHONE NUMBER: (435) 781-4301	WHITE RIVER
	OCATION OF WELL OOTAGES AT SURFACE: 1698	' FSL, 882' FWL		COUNTY: UINTAH
C	OTR/OTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN: NWSW 10 8 22	2 S	STATE: UTAH
11.	CHECK APP	PROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
	TYPE OF SUBMISSION		TYPE OF ACTION	
V	NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
	(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
	Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
		CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
_		CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
Ш	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
	Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
		COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
		CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
			REC JUL	E. 0 2 2004
	ME (PLEASE PRINT) Dale Lar		District Producti	ion Superintendent
(This	space for State use only)	Accepted by the Utah Division of Oil, Gas and Mining	Gederal Approval Of This Action Is Necessary	
(5/200	no Date	TIDOU ! (See Instru	uctions on Reverse Side)	

Attachment – Page 2

API #43-047-34769 6/11/2004

"In compliance with the stated objectives of the Federal Regulations for Onshore Oil & Gas Operations and the applicable Federal Unit Agreement, Questar Exploration and Production Company hereby requests the commingling of production between intervals in the OU GB 12W 10-8-22. Questar considers this commingling to be in the public interest in that it promotes maximum ultimate economic recovery, prevents waste, provides for orderly and efficient production of oil and gas and presents no detrimental effects from commingling the two gas streams.


Questar requests approval for the commingling between the Mesa Verde and Wasatch intervals. The proposed method to determine the allocation of production between the intervals is described below:

1- All three Wasatch Zones located at these depths: 7350'-7362', 7368'-7372' & 7510'-7524' and one Mesa Verde Zone located at 8660'-8669' will be placed on production for a minimum of 90 days to stabilize production. At that time a gas sample will be taken and analyzed to serve as a baseline.

2 – The initial allocation is being estimated from the net pay of the Mesa Verde and Wasatch formations. That allocation would be:

Mesa Verde Production: 32% - for 8' of net pay Wasatch Production: 68% - for 17' of net pay

- 3 After the well is stabilized a production survey will be run across all of the zones to determine the allocation of produced gas from the Mesa Verde and the Wasatch.
- 4 If the production survey demonstrates that the allocation rates are different by more than 2% from the estimated allocation, the OGOR Report will be amended to reflect those changes.
- 5 On an annual basis the gas will be sampled and a determination will be made of the BTU content and gas constituents. These annual samples can be used to determine if the gas allocation is changing over time. If these samples do not indicate that any adjustments in allocation are necessary they may be discontinued after the fifth anniversary of the initial production.



Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING 1. DJJ 2. CDW

Change of Operator (Well Sold)						X - Operator Name Change/Merger							
	The operator of the well(s) listed below has change	ged, e	effectiv	e:	1/1/2007								
	OM: (Old Operator):				TO: (New Operator):								
N24	160-QEP Uinta Basin, Inc.				N5085-Questar E&P Company								
	1050 17th St, Suite 500				1050 17th St, Suite 500								
	Denver, CO 80265			Denver,	, CO 80265								
Pho	ne: 1 (303) 672-6900				672-6900								
	CA No.				-	nit:		WHITE RIV					
WE	ELL NAME SEC TWN RNC				API I	NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS			
	SEE ATTACHED LISTS					*							
ΩE	PERATOR CHANGES DOCUMENT	АTI	ON										
	ter date after each listed item is completed	~11	ON										
1.	(R649-8-10) Sundry or legal documentation wa	is rec	eived f	rom the	FORM	MER one	erator on	4/19/2007					
2.	(R649-8-10) Sundry or legal documentation was							4/16/2007					
3.	The new company was checked on the Depart								•	1/31/2005			
_			oi Coi	iiiiei ce		ess Numb		764611-0143		1/31/2003			
4a.	Is the new operator registered in the State of U(R649-9-2)Waste Management Plan has been re		d on:		_	PLACE	CI.	704011-0143					
	Inspections of LA PA state/fee well sites comp.					n/a	•						
	<u>-</u>					n/a	-						
_	Reports current for Production/Disposition & S			DT 4 1			•	T					
6.	Federal and Indian Lease Wells: The BL					roved the	_	_	DIA				
_	or operator change for all wells listed on Feder	al or	Indian	leases o	on:		BLM	_ 4/23/2007	BIA	-			
7.	Federal and Indian Units:		٠.			1 1		4/02/0007					
_	The BLM or BIA has approved the successor					listed on:		4/23/2007	•				
8.	Federal and Indian Communization Ag				•	. .							
Λ	The BLM or BIA has approved the operator		i wells		within a CA on: Division has approved UIC Form 5, Transfer of Authority to								
9.	Underground Injection Control ("UIC"	•							or Auth	ority to			
TS 4	Inject, for the enhanced/secondary recovery un	nt/pro	ject to	r the wa	ater dis	posai wei	ii(s) iistea o	on;		-			
	ATA ENTRY:				4/20/0	007 1	E (1 E /0007						
	Changes entered in the Oil and Gas Database Changes have been entered on the Monthly Oil		or Che	ngo Sr			5/15/2007	4/30/2007 and 5	5/15/200°	7			
	Bond information entered in RBDMS on:	per at	от Спа	inge op			5/15/2007	4/30/2007 and .	713/200	,			
	Fee/State wells attached to bond in RBDMS or	1:					5/15/2007						
5.	Injection Projects to new operator in RBDMS						5/15/2007						
6.	Receipt of Acceptance of Drilling Procedures f		D/Nev	v on:			n/a						
BC	OND VERIFICATION:												
1.	Federal well(s) covered by Bond Number:				ESB	000024	_						
2.	2. Indian well(s) covered by Bond Number:					799446							
3a. (R649-3-1) The NEW operator of any state/fee well(s) listed cov					ered by	Bond N	umber	965003033					
3b.	The FORMER operator has requested a releas	e of l	iability	from t	heir bo	nd on:	n/a	_					
LE	CASE INTEREST OWNER NOTIFIC	CAT	ION:										
	(R649-2-10) The NEW operator of the fee wells					iformed b	y a letter fr	om the Division					
	of their responsibility to notify all interest owne	rs of	this ch	ange on	1:		n/a	-					
CO	MMENTS: THIS IS A COMPANY NAME O	HAN	IGE.						• • • • • • • • • • • • • • • • • • • •				
_	SOME WELL NAMES HA			<u>CHAN</u> (GED A	S REQU	JESTED_						

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WHITE RIVER 31-4	WR 31-4	SWSE	04	080S	220E	4304715090	4915	Federal	WS	A
WRU 15-35-8-22	WRU EIH 15-35-8-22	SWSE	35	080S	220E	4304733061	12528	Federal	GW	P
E IRON HORSE 12W-35-8-22	WRU EIH 12W-35-8-22	NWSW	35	080S	220E	4304733393	12528	Federal	GW	P
WRU 13W-3-8-22	WR 13W-3-8-22	SWSW	03	080S	220E	4304733651	13544	Federal	GW	P
GB 6W-9-8-22	OU GB 6W-9-8-22	SENW	09	080S	220E	4304734010	13545	Federal	GW	P
E IRON HORSE 4W-35-8-22	WRU EIH 4W-35-8-22	NWNW	35	080S	220E	4304734042	12528	Federal	GW	P
E IRON HORSE 3W-35-8-22		NENW	35	080S	220E	4304734044	12528	Federal	GW	P
GB 4W-9-8-22	WRU GB 4WRG-9-8-22	NWNW	09	080S	220E	4304734208	4915	Federal	GW	DRL
WRU 13WX-35-8-22	WRU EIH 13WX-35-8-22	SWSW	35	080S	220E	4304734210	12528	Federal	GW	P
WRU EIH 5W-35-8-22	WRU EIH 5W-35-8-22	SWNW	35	080S	220E	4304734572		Federal	GW	P
OU GB 14W-9-8-22	OU GB 14W-9-8-22	SESW	09	080S	220E	4304734649	13545	Federal	GW	P
WRU GB 9MU-9-8-22	WRU GB 9MU-9-8-22	NESE	09	080S	220E	4304734650	13545	Federal	GW	P
OU GB 10W-9-8-22	OU GB 10W-9-8-22	NWSE	09	080S	220E	4304734651	13545	Federal	GW	P
OU GB 12W-9-8-22	OU GB 12W-9-8-22	NWSW	09	080S	220E	4304734652	13712	Federal	GW	S
OU GB 15W-9-8-22	OU GB 15W-9-8-22	SWSE	09	080S	220E	4304734678	13545	Federal	GW	P
OU GB 16W-9-8-22	OU GB 16W-9-8-22	SESE	09	080S	220E	4304734679	13545	Federal	GW	P
WRU EIH 6W-35-8-22	WRU EIH 6W-35-8-22	SENW	35	080S	220E	4304734684		Federal	GW	P
GB 11ML-10-8-22	GB 11ML-10-8-22	NESW	10	080S	220E	4304734691	14818	Federal	GW	P
WRU EIH 11W-35-8-22	WRU EIH 11W-35-8-22	NESW	35	0808	220E	4304734708	12528	Federal	GW	P
WRU GB 5M-9-8-22	WRU GB 5M-9-8-22	SWNW	09	080S	220E	4304734753	13545	Federal	GW	P
OU GB 12W-4-8-22	OU GB 12W-4-8-22	NWSW	04	080S	220E	4304734762		Federal	GW	P
OU GB 12M-10-8-22	OU GB 12M-10-8-22	NWSW	10	080S	220E	4304734769	15	Federal	GW	P
WRU EIH 14W-26-8-22	WRU EIH 14W-26-8-22	SESW	26	080S	220E	4304734835		Federal	GW	S
WRU EIH 11MU-26-8-22	WRU EIH 11MU-26-8-22	NESW	26	080S	220E	4304734836		Federal	GW	P
WRU EIH 10W-35-8-22	WRU EIH 10W-35-8-22	NWSE	35	080S	220E	4304735046		Federal	GW	P
WRU EIH 9MU-26-8-22	WRU EIH 9MU-26-8-22	NESE	26	080S	220E	4304735047		Federal	GW	P
WRU EIH 15MU-26-8-22	WRU EIH 15MU-26-8-22	SWSE	26	080S	220E	4304735048		Federal	GW	P
WRU EIH 1MU-35-8-22	WRU EIH 1MU-35-8-22	NENE	35	080S	220E	4304735049		Federal	GW	P
WRU EIH 9M-35-8-22	WRU EIH 9M-35-8-22	NESE	35	080S	220E	4304735050		Federal	GW	P
WRU EIH 7MU-35-8-22	WRU EIH 7MU-35-8-22	SWNE	35	080S	220E	4304735051		Federal	GW	P
WRU EIH 1MU-26-8-22	WRU EIH 1MU-26-8-22	NENE	26	080S	220E	4304735118		Federal	GW	P
WRU EIH 7MU-26-8-22	WRU EIH 7MU-26-8-22	SENE	26	080S	220E	4304735119		Federal	GW	P
WRU EIH 10MU-26-8-22	WRU EIH 10MU-26-8-22	NWSE	26	080S	220E	4304735120	12528	Federal	GW	P
WRU EIH 15MU-35-8-22	WRU EIH 15MU-35-8-22	SWSE	35	080S	220E	4304735121		Federal	GW	P
WRU EIH 10ML-23-8-22	WRU EIH 10ML-23-8-22	NWSE	23	080S	220E	4304735187		Federal	GW	P
SG 12MU-23-8-22	SG 12MU-23-8-22	NWSW	23	080S	220E	4304735188		Federal	GW	P
WRU EIH 9ML-23-8-22	WRU EIH 9ML-23-8-22	NESE	23	080S	220E	4304735189		Federal	GW	P
WRU EIH 16MU-26-8-22	WRU EIH 16MU-26-8-22	SESE	26	080S	220E	4304735191		Federal	GW	P
WRU EIH 2MU-26-8-22	WRU EIH 2MU-26-8-22	NWNE	26	080S	220E	4304735192		Federal	GW	P
WRU EIH 8MU-26-8-22	WRU EIH 8MU-26-8-22	SENE	26	080S	220E	4304735193		Federal	GW	P
WRU EIH 16MU-35-8-22	WRU EIH 16MU-35-8-22	SESE	35	080S	220E	4304735194		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WRU EIH 8MU-35-8-22	WRU EIH 8MU-35-8-22	SENE	35	080S	220E	4304735195	12528	Federal	GW	P
WRU EIH 13MU-25-8-22	WRU EIH 13MU-25-8-22	SWSW	25	080S	220E	4304735329		Federal	GW	P
WRU EIH 15ML-23-8-22	WRU EIH 15ML-23-8-22	SWSE	23	080S	220E	4304735387		Federal	GW	P
WRU EIH 4MU-25-8-22	WRU EIH 4MU-25-8-22	NWNW	25	080S	220E	4304735388	- 22	Federal	GW	P
WRU EIH 3MU-25-8-22	EIH 3MU-25-8-22	NENW	25	080S	220E	4304735389		Federal	GW	P
WRU EIH 12ML-24-8-22	WRU EIH 12ML-24-8-22	NWSW	24	080S	220E	4304735425	12528	Federal	GW	P
WRU EIH 14ML-24-8-22	WRU EIH 14ML-24-8-22	SESW	24	080S	220E	4304735426	12528	Federal	GW	P
WRU EIH 6MU-25-8-22	WRU EIH 6MU-25-8-22	SENW	25	080S	220E	4304735431	12528	Federal	GW	P
WRU EIH 5MU-25-8-22	WRU EIH 5MU-25-8-22	SWNW	25	080S	220E	4304735432	12528	Federal	GW	P
WRU EIH 12MU-25-8-22	WRU EIH 12MU-25-8-22	NWSW	25	080S	220E	4304735601	12528	Federal	GW	P
WRU EIH 14MU-35-8-22	WRU EIH 14MU-35-8-22	SESW	35	080S	220E	4304735667	12528	Federal	GW	P
WRU EIH 13ML-24-8-22	WRU EIH 13ML-24-8-22	SESW	24	080S	220E	4304735793	12528	Federal	GW	P
WRU EIH 16ML-23-8-22	WRU EIH 16ML-23-8-22	SWSE	23	080S	220E	4304735804	12528	Federal	GW	P
WRU EIH 11ML-24-8-22	WRU EIH 11ML-24-8-22	NWSW	24	080S	220E	4304735805	12528	Federal	GW	P
WRU EIH 6B-ML-35-8-22	WRU EIH 6B-ML-35-8-22	SWNW	35	080S	220E	4304737299	12528	Federal	GW	P
WRU EIH 6B-ML-35-8-20	WRU EIH 6B-ML-35-8-21	SWNW	35	080S	220E	4304737299	15281 12528	Federal	GW	S
WRU EIH 11BML-35-8-22	WRU EIH 11BML-35-8-22	NESW	35	080S	220E	4304737300		Federal	GW	P
WRU EIH 3D-ML-35-8-22	WRU EIH 3D-ML-35-8-22	SENW	35	080S	220E	4304737465		Federal	GW	P
WRU EIH 7D-ML-35-8-22	WRU EIH 7D-ML-35-8-22	SWNE	35	080S	220E	4304737466		Federal	GW	P
WRU EIH 4AML-25-8-22	WRU EIH 4AD-25-8-22	NWNW	25	080S	220E	4304738636		Federal	GW	APD
WRU EIH 7AML-26-8-22	WRU EIH 7AD-26-8-22	SWNE	26	080S	220E	4304738637		Federal	GW	APD
WRU EIH 8DML-26-8-22	WRU EIH 8DML-26-8-22	SENE	26	080S	220E	4304738638		Federal	GW	APD
WRU EIH 9DML-26-8-22	WRU EIH 9DML-26-8-22	NESE	26	080S	220E	4304738639		Federal	GW	APD
WRU EIH 6DML-35-8-22	WRU EIH 6DD-35-8-22	SENW	35	080S	220E	4304738640		Federal	GW	APD
WRU EIH 7AD-35-8-22	WRU EIH 7AD-35-8-22	SWNE	35	080S	220E	4304738641		Federal	GW	APD
WRU EIH 13AML-35-8-22	WRU EIH 14BD-35-8-22	SWSW	35	080S	220E	4304738642		Federal	GW	APD
WRU EIH 2AML-35-8-22	WRU EIH 2AML-35-8-22	NWNE	35	080S	220E	4304738643		Federal	GW	APD
WRU EIH 3AD-35-8-22	WRU EIH 3AD-35-8-22	NENW	35	080S	220E	4304738644		Federal	GW	APD
WRU EIH 10AML-26-8-22	WRU EIH 10AML-26-8-22	NWSE	26	080S	220E	4304738647		Federal	GW	APD
WRU EIH 14AML-26-8-22	WRU EIH 14AML-26-8-22	SESW	26	080S	220E	4304738648		Federal	GW	APD
WRU EIH 9CML-26-8-22	WRU EIH 9CD-26-8-22	NESE	26	080S	220E	4304738649		Federal	GW	APD
WRU EIH 6BML-25-8-22	WRU EIH 6BML-25-8-22	SENW	25	080S	220E	4304738650		Federal	GW	APD
WRU EIH 15AG-35-8-22	WRU EIH 15AG-35-8-22	SWSE	35	080S	220E	4304738772		Federal	OW	APD
WRU EIH 15AML-35-8-22	WRU EIH 15AD-35-8-22	SWSE	35	080S	220E	4304738773		Federal	GW	APD

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

	[DIVISION OF OIL,	GAS AND M	ININC	3		1		ASE DESIGNATION AND SERIAL NUMBER:
\$	SUNDRY	NOTICES AND	REPORT	S OI	N WEL	LS	7	3. IF (NDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pr	oposais to drill ne	ew wells, significantly deepen e iterals. Use APPLICATION FO	xisting wells below cu	ment bot	tom-hole dept	th, reenter plugged wells,	or to		IT or CA AGREEMENT NAME:
1. TYPE OF WELL	OIL WELL				socii pioposa		···	B. WE	LL NAME and NUMBER:
2. NAME OF OPERATOR:									attached NUMBER:
		N AND PRODUCT	ION COMPA	NΥ					ched
3. ADDRESS OF OPERAT 1050 17th Street Su		Denver	STATE CO	,8026	35	PHONE NUMBER: (303) 308-306		10. FI	ELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL									
FOOTAGES AT SURFA	ce: attache	ea					(COUN.	τγ: Uintah
QTR/QTR, SECTION, TO	OWNSHIP, RANG	GE, MERIDIAN:						STATE	UTAH
****		ROPRIATE BOXES	TO INDICA	E N/			EPOR	Γ, Ο	R OTHER DATA
TYPE OF SUBM	ISSION	ACIDIZE	•	_	DEEPEN	PE OF ACTION			
NOTICE OF INTE		ALTER CASING		H	FRACTURE	TREAT		님	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
Approximate date wo	rk will start;	CASING REPAIR			NEW CONS	TRUCTION			TEMPORARILY ABANDON
1/1/2007		CHANGE TO PREVIOU	JS PLANS		OPERATOR	CHANGE			TUBING REPAIR
		CHANGE TUBING			PLUG AND A	ABANDON			VENT OR FLARE
SUBSEQUENT RI (Submit Original F		CHANGE WELL NAME			PLUG BACK				WATER DISPOSAL
Date of work complete	ion:	CHANGE WELL STATE				N (START/RESUME)			WATER SHUT-OFF
		CONVERT WELL TYPE		_		ON OF WELL SITE TE - DIFFERENT FORMA	ATION	V	отнек: Operator Name Change
12. DESCRIBE PROP	OSED OR COL	MPLETED OPERATIONS.							
Effective January AND PRODUCT change of operation the attached I Federal Bond Nu Utah State Bond Fee Land Bond I Current operator attached list.	y 1, 2007 of ION COMI tor is involva- list. All open number: 96: Number: Number: of record,	operator of record, PANY. This name ved. The same en erations will continu 5002976 (BLM Ref 965003033 965003033 , QEP UINTA BASI	QEP Uinta Bachange involuployees will due to be coverence No. E	by resonant	lnc., will nly an ir ue to be y bond r 00024) signs as leese, E PRODU	hereafter be kr nternal corporate responsible for numbers: operator of the xecutive Vice F	properation of the properation o	s Que chation	UESTAR EXPLORATION ange and no third party as of the properties described as described on the QEP Uinta Basin, Inc. by assumes all rights, duties pany
NAME (PLEASE PRINT)	etira K. Si	tanberry	1				Regula	tory	Affairs
SIGNATURE	dr_	D. John	Gerry		DATE	3/16/2007			
									·

RECEIVED

APR 1 9 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

FORM 9

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: SOO attached
SUNDRY NOTICES AND REPORTS ON WELLS	IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	see attached
1 TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	see attached 9. API NUMBER:
QUESTAR EXPLORATION AND PRODUCTION COMPANY	attached
3 ADDRESS OF OPERATOR: 1050 17th Street Suite 500 OPERATOR: 1050 17th Street Suite 50	10. FIELD AND POOL, OR WILDCAT:
4 LOCATION OF WELL FOOTAGES AT SURFACE: attached	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	
TYPE OF SUBMISSION TYPE OF ACTION	T, ON OTHER DATA
✓ NOTICE OF INTENT ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
1/1/2007 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VÉNT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ отнек: Well Name Changes
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION CINDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.	
NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regula	atory Affairs
SIGNATURE A/17/2007	
his space for State use only)	

RECEIVED APR 1.9 2007



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

White River Unit Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the White River Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the White River Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the White River Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - White River Unit (w/enclosure)

Agr. Sec. Chron

Reading File

Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF CIL, GAS & MINING

(3/89)

State of Utah Division of Oil, Gas and Mining

ENTITY ACTION FORM - FORM 6

OPERATOR:

OPERATOR ACCT. No. N-5085

Questar Exploration & Production Co. 11002 East 17500 South

ADDRESS:

Vernal, Utah 84078-8526

(435)781-4342

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
A	13864	13545	43-047-34769	OU GB 12M 10 8 22	NWSW	10	88	22E	Uintah	8/19/03	11/7/07
WELL 1	COMMENT	S: WSMVD	perB	LM eff 11/	/200	3 3		L			
WELL 2	COMMENT	 S:					<u> </u>		-		
WELL 3	COMMENT	[8 :									
WELL 4	COMMENT										
VYELL 4	COMMEN	1 3 :		T	<u> </u>					T	
WELL 5	COMMENT	[[8:				<u></u>				<u> </u>	<u> </u>
	A - Establisi B - Add new C - Re-assiç D - Re-assiç	h new entity for well to existing on well from on on well from on	le existing entity &	well only) unit well) another existing entity					Sig	Salut 1	aldes OQ
	E - Other (e	xpla i n in comn	nents section)	n Action Code was selected	!				<u>Off</u> Titl	ice Administrator e	II 10/31/07 Date

RECEIVED

NOV 0 6 2007

DIV. OF OIL, GAS & MINING

Phone No. (435) 781-4342

CONFIDENTIAL

STATE OF UTAH FORM 9 DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-43915 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS N/A 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. White River Unit 1. TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL 🗸 OTHER OU GB 12M-10-8-22 2. NAME OF OPERATOR 9. API NUMBER: QUESTAR EXPLORATION AND PRODUCTION 4304734769 3. ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: CITY Vernal 11002 E 17500 S STATE Ut (435) 781-4362 White River 71D 84078 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1698' FSL 882' FWL COUNTY: Uintah QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWSW 10 88 22E S STATE: UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: 11/1/2003 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Production from the following formations/zones has been commingled: Wasatch perforated at 8660' to 8669' and the Mesa Verde was perforated at 7350' to 7362', 7368' to 7372', 7510' to 7524'. Well was placed on production for 90 days and allowed

Verde was perforated at 7350' to 7362', 7368' to 7372', 7510' to 7524'. Well was placed on production for 90 days and allowed to stabilize production. Initial allocation was Mesa Verde 32% for 8 feet of net pay and Wasatch 68% for 17 feet of net pay. After the well stabilized, production logs were run. No changes to the allocation were made.

NAME (PLEASE PRINT) Rick Canterbury	TITLE	Regulatory Affairs
SIGNATURE Kich Canterminy	_ DATE	6/24/2008

(This space for State use only)

RECEIVED

CONFIDENTIAL

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING
CDW

Change of Operator (Well Sold)				Х-	Operator	· Name Chan	σe	
The operator of the well(s) listed below has chan	ged, e	effectiv	/e:		орогино	6/14/2010	<u>s~</u>	
FROM: (Old Operator): N5085-Questar Exploration and Production Compa 1050 17th St, Suite 500 Denver, CO 80265	nny					pany e 500		-
Phone: 1 (303) 308-3048				Phone: 1 (303	3) 308-3048			
CA No.				Unit:		WHITE	RIVER	
WELL NAME SEE ATTACHED	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa	ıs rece	eived fi	rom the	FORMER op	perator on:	6/28/2010	-	
3. The new company was checked on the Departs 4a. Is the new operator registered in the State of U 5a. (R649-9-2)Waste Management Plan has been re 5b. Inspections of LA PA state/fee well sites comple 5c. Reports current for Production/Disposition & S	nent of Stah: Sceived Sete or Undrie	of Condon: d on: a: es on:	nmerce E	, Division of C Business Numb Requested n/a ok	Corporations per: 	S Database on: 764611-0143	-	6/24/2010
 Federal and Indian Lease Wells: The BL or operator change for all wells listed on Federal. Federal and Indian Units: The BLM or BIA has approved the successor. Federal and Indian Communization Agr. 	of un	ndian l it oper	eases of	n: wells listed or	BLM	me change, 8/16/2010 8/16/2010	BIA	not yet
The BLM or BIA has approved the operator f	or all	wells]	listed w	ithin a CA on:		N/A		
9. Underground Injection Control ("UIC") Di	vision	has ap	proved UIC 1	Form 5 Tran	sfer of Author	ity to	
Inject, for the enhanced/secondary recovery un DATA ENTRY:	it/proj	ject for	the wa	ter disposal we	ell(s) listed o	n:	6/29/2010	
1. Changes entered in the Oil and Gas Database 2. Changes have been entered on the Monthly Op 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on 5. Injection Projects to new operator in RBDMS of 6. Receipt of Acceptance of Drilling Procedures for BOND VERIFICATION:	erato : :n:		-	6/30/2010 read Sheet on 6/30/2010 6/30/2010 6/30/2010	- - - - n/a	6/30/2010	·	
1. Federal well(s) covered by Bond Number:				ESB000024				
2. Indian well(s) covered by Bond Number:			-	965010693	- -			
3a. (R649-3-1) The NEW operator of any state/fee					lumber	965010695		
 3b. The FORMER operator has requested a release LEASE INTEREST OWNER NOTIFIC 4. (R649-2-10) The NEW operator of the fee wells of their responsibility to notify all interest owner 	ATION TO SERVICE ATION	ON: een coi	ntacted		n/a by a letter fro	om the Division		
COMMENTS:								

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

		5. LEASE DESIGNATION AND SERIAL NUMBER See attached
SUNDRY NOTICES AND REPORTS ON W	ELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hol	double control to the	See attached 7. UNIT or CA AGREEMENT NAME:
1 TYPE OF WELL	posals.	See attached
OIL WELL GAS WELL OTHER		8. WELL NAME and NUMBER: See attached
Questar Exploration and Production Company N5085		9. API NUMBER:
3. ADDRESS OF OPERATOR:	PHONE NUMBER	Attached 10. FIELD AND POOL, OR WILDCAT:
1050 17th Street, Suite 500 Denver STATE CO ZIP 80265	(303) 672-6900	See attached
LOCATION OF WELL FOOTAGES AT SURFACE: See attached		
des attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE:
11 CHECK APPROPRIATE BOXES TO INDICATE NATUR	E OF NOTICE DEPOS	UTAH
TYPE OF SUBMISSION CHECK APPROPRIATE BOXES TO INDICATE NATUR		T, OR OTHER DATA
C ACIDIZE DEEDE	TYPE OF ACTION	REPERFORATE CURRENT FORMATION
NOTICE OF INTERNI	JRE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW C	ONSTRUCTION	TEMPORARILY ABANDON
6/14/2010 CHANGE TO PREVIOUS PLANS OPERA	TOR CHANGE	TUBING REPAIR
	ND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG E	ACK	WATER DISPOSAL
Date of work completion:	CTION (START/RESUME)	WATER SHUT-OFF
	MATION OF WELL SITE PLETE - DIFFERENT FORMATION	✓ other: Operator Name Change
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent detail		
Effective June 14, 2010 Questar Exploration and Production Comparchange involves only an internal corporate name change and no third employees will continue to be responsible for operations of the proper continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024 Utah State Bond Number: 965003033) Fee Land Bond Number: 965003033 Fee Land Bond Number: 799446- 965010693 The attached document is an all inclusive list of the wells operated by June 14, 2010 QEP Energy Company assumes all rights, duties and the list	y changed its name to 0 I party change of operatorities described on the at A Questar Exploration an	QEP Energy Company. This name or is involved. The same tached list. All operations will
NAME (PLEASE PRINT) Morgan Anderson	Regulatory Affairs	Analyst
SIGNATURE / LONGOW LANDING	6/23/2010	
his space for State use only)		

RECEIVED JUN 2 8 2010

APPROVED 61301 2009
Carley Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) WHITE RIVER effective June 14, 2010

well name		4		· ·					
wen_name	sec	twp	rng	api	entity	mineral	type	stat	C
WR 16-9	09	080S	22017	4304715081	4015	lease	0777		_
WRU EIH 15-35-8-22	35			4304713081	4915	Federal		S	
WRU EIH 12W-35-8-22	35			4304733393	12528	Federal	GW	P	
WR 13W-3-8-22	03	080S			12528	Federal		P	
OU GB 6W-9-8-22	09	080S		4304733651	13544	Federal	GW	P	
WRU EIH 4W-35-8-22	35			4304734010	13545	Federal		P	
WRU EIH 3W-35-8-22				4304734042	12528	Federal	GW	P	
WRU GB 4WRG-9-8-22	35			4304734044	12528	Federal	GW	P	
WRU EIH 13WX-35-8-22	09			4304734208	4915	Federal	OW	P	
WKU EIH 13 W X-35-8-22	35	0808	220E	4304734210	12528	Federal	GW	P	
WDITERITER 25 0 00		2000			13456			ļ <u>.</u>	
WRU EIH 5W-35-8-22	35			4304734572	12528	Federal	GW	P	
OU GB 14W-9-8-22	09			4304734649	13545	Federal	GW	P	
WRU GB 9MU-9-8-22	09			4304734650	13545	Federal	GW	P	
OU GB 10W-9-8-22	09			4304734651	13545	Federal	GW	P	
OU GB 15W-9-8-22	09			4304734678	13545	Federal	GW	P	
OU GB 16W-9-8-22	09			4304734679	13545	Federal	GW	P	
WRU EIH 6W-35-8-22	35	080S	220E	4304734684	12528	Federal	GW	P	
					16723				
GB 11ML-10-8-22	10			4304734691	14818	Federal	GW	P	
WRU EIH 11W-35-8-22	35	080S	220E	4304734708	12528	Federal	GW	P	
WRU GB 5M-9-8-22	09	080S	220E	4304734753	13545	Federal	GW	S	
					14447				
OU GB 12W-4-8-22	04	080S	220E	4304734762	13718	Federal	GW	P	
OU GB 12M-10-8-22	10	080S	220E	4304734769	13545	Federal	GW	P	
WRU EIH 14W-26-8-22	26	080S	220E	4304734835	12528	Federal	GW	TA	
WRU EIH 11MU-26-8-22	26			4304734836	12528	Federal	GW	P	
					13713		.,	1	
WRU EIH 10W-35-8-22	35	080S	220E	4304735046	12528	Federal	GW	P	
				-	15700		• • •	_	
WRU EIH 9MU-26-8-22	26	080S	220E	4304735047	12528	Federal	GW	P	
					14003		· · ·	1	
WRU EIH 15MU-26-8-22	26	080S	220E	4304735048	12528	Federal	GW	P	
WRU EIH 1MU-35-8-22	35			4304735049	12528			P	
WRU EIH 9M-35-8-22	35			4304735050	12528			P	<u> </u>
				.501,55050	14005	1 caciai	G W	*	
WRU EIH 7MU-35-8-22	35	080S	220E	4304735051	12528	Federal	GW	P	
			2202	1501755051	14106	redetai	O W	1	
WRU EIH 1MU-26-8-22	26	2080	220E	4304735118	12528	Federal	GW	P	-
	20	0000	220,2	4504755110	14349	reuciai	UW	r	
WRU EIH 7MU-26-8-22	26	080S	220E	4304735119	12528	Endonal	CW	P	
	20	0005	220L	4304/33119	1 1	Federal	GW	P	
WRU EIH 10MU-26-8-22	26	080S	220E	4304735120	14102 12528	Fadamal	CXV	D	-
110 2011 101110 20-0-22	20	0000	ZZVE	73U4/3314U	1	Federal	GW	P	
WRU EIH 15MU-35-8-22	35	2080	220E	4304735121	14107	Fod1	CIII	D	
Dari 101110-30-0-22	33	0003	220E	4304/33121	12528	Federal	GW	P	
WRU EIH 10ML-23-8-22	23	USUG	2200	A20A725107	14197	E. J. 1	OTT:	D	ļ
Liii 10,WIL-23-0-22	23	0005	220E	4304735187	12528	Federal	GW	P	
WRU EIH 9ML-23-8-22	32	0000	2205	4204725100	14503	7	~		
WING DILL 91VIL-23-0-22	23	0805	220E	4304735189	12528	Federal	GW	S	
					14504				

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) WHITE RIVER effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
WINITERIAL						lease			
WRU EIH 16MU-26-8-22	26	080S	220E	4304735191	12528	Federal	GW	P	
WRU EIH 2MU-26-8-22	-	0000	2205	1001	14351	1.750.000			
WKU EIH 2WIU-26-8-22	26	080S	220E	4304735192	12528	Federal	GW	P	
WRU EIH 8MU-26-8-22	26	0000	2205	420.4525102	14104				
WKO EIII 8WO-20-8-22	26	080S	220E	4304735193	12528	Federal	GW	P	
WRU EIH 16MU-35-8-22	35	080S	220E	4304735194	14234		CITY	-	
	33	0003	220E	4304/35194	12528	Federal	GW	P	
WRU EIH 8MU-35-8-22	35	0806	220E	4304735195	14198	P 1 1	CITY	-	
Wite Elli 61/10 33 6 22	33	0003	220E	4304733193	12528	Federal	GW	P	
WRU EIH 13MU-25-8-22	25	2080	220E	4304735329	17329 12528	Endonal	CW		
	23	0005	220L	4304733329	1	Federal	GW	P	
WRU EIH 15ML-23-8-22	23	2080	220E	4304735387	14168 12528	Federal	CW	S	
	23	0005	2201	4504755567	14681	rederai	GW	5	
WRU EIH 4MU-25-8-22	25	0805	220F	4304735388	12528	Federal	GW	P	
		0005	220L	7504755566	14339	redetai	GW	P	
WRU EIH 3MU-25-8-22	25	0805	220E	4304735389	12528	Federal	GW	P	
		0000	2202	1304733307	14341	rederat	G W	F	
WRU EIH 12ML-24-8-22	24	080S	220E	4304735425	12528	Federal	GW	P	
		0000	2202	1301735425	14536	rederat	G W	r	
WRU EIH 14ML-24-8-22	24	080S	220E	4304735426	12528	Federal	GW	P	
				1301733120	14646	redetai	OW	1	
WRU EIH 6MU-25-8-22	25	080S	220E	4304735431	12528	Federal	GW	P	
				1001755151	14379	1 caciai	0"	1	
WRU EIH 5MU-25-8-22	25	080S	220E	4304735432	12528	Federal	GW	P	
					14240			-	
WRU EIH 12MU-25-8-22	25	080S	220E	4304735601	12528	Federal	GW	P	
					14214				
WRU EIH 14MU-35-8-22	35	080S	220E	4304735667	12528	Federal	GW	P	†
					14615				
WRU EIH 13ML-24-8-22	24	080S	220E	4304735793	12528	Federal	GW	S	
					14644				
WRU EIH 16ML-23-8-22	23	080S	220E	4304735804	12528	Federal	GW	P	
					14683				
WRU EIH 11ML-24-8-22	24	080S	220E	4304735805	12528	Federal	GW	P	
VIDILEUL CD NO. 05 0 00				·	14540				
WRU EIH 6B-ML-35-8-22	35	080S	220E	4304737299	12528	Federal	GW	P	
MILEH 11DM 25 0 22		0000			15281				
WRU EIH 11BML-35-8-22	35	080S	220E	4304737300	12528	Federal	GW	P	
WILLIAM MI 25 9 22		0000	2225	1001-0-12-	15282				
WRU EIH 3D-ML-35-8-22	35	080S	220E	4304737465	12528	Federal	GW	P	
WRU EIH 7D-ML-35-8-22	25	0000	2205	4204727466	15552	·	~		
DIII /D-WIL-33-0-22	35	2000	ZZUE	4304737466	12528	Federal	GW	P	
WRU EIH 4AD-25-8-22	25	080S	220E	4304738636	15637	E-4 1	OII.	D	
100 DIII 7/1D-25-0-22	23	0003	ZZUE	4304/38030	12528	Federal	GW	P	
WRU EIH 7AD-26-8-22	26	080S	220E	4304738637	16651	Fodor-1	CW	n	ļ
	20	6000	ZZUE	+JU4/J00J/	12528	Federal	GW	P	
WRU EIH 6DD-35-8-22	35	2080	220E	4304738640	16579 12528	Federal	GW	P	<u> </u>
	55	2000		1207/20040	14340	reuerai	υW	r	1

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) WHITE RIVER effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
						lease			
WRU EIH 7AD-35-8-22	35	080S	220E	4304738641	16180	Federal	GW	P	
WRU EIH 14BD-35-8-22	35	080S	220E	4304738642	17143	Federal	GW	OPS	C
WRU EIH 9CD-26-8-22	26	080S	220E	4304738649	12528	Federal	GW	P	-
					16446				
GB 1M-4-8-22R (RIGSKID)	04	080S	220E	4304738990	15879	Federal	GW	P	
WRU EIH 6D-5-8-23	05	080S	230F	4304738994	16415	Federal	GW	P	
WRU GB 13G-3-8-22	03	0805		4304738994					+
					4915	Federal	OW	P	
WRU GB 14G-4-8-22	04	080S	220E	4304740097	4915	Federal	OW	P	
GB 3D-4-8-22R(RIGSKID)	04	080S	220E	4304740345	17099	Federal	GW	P	1

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankut

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS UDOGM

AUG 1 6 2010

DIV OF OIL, SEGRESS